From: laura heath Sent: 12 July 2019 13:49

To: Ailsa Teasdale Cc: Andrea Long

Subject: Egton Manor Planning

Dear Ailsa,

I've found it quite hard to do the Mains Drainage assessment form, so Wilf Nobles and Richard Melbourne from the Environment Agency have helped and it is finally completed. I'm going to scan over to you now and send a hard copy in the post.

Can you confirm you now have everything you need?

Best wishes

Laura

Feasibility of mains foul sewer connection	YES	NO
Have you provided a written explanation of why it is not feasible to connect to the public foul sewer with this form?	×	
This must include a scaled map showing the nearest public foul sewer connection point - check with your local sewerage undertaker.		
Is the distance from your site to the closest connection point to the public foul sewer less than the number of properties to be built on the site multiplied by 30m? (see Guidance Note 2)	X	
Does your proposal form part of a phased development or planned development of a wider area?		~
If YES, please provide further details including references of any planning permissions already granted.		

Non-mains connection

Please provide a plan with dimensions that clearly shows the location of the whole system in relation to the proposed development and the position of the key elements e.g. septic tank, drainage fields and points of discharge.

1. Existing system	YES	NO
Do you intend to use an existing non-mains foul drainage system?	х	
If YES, does the system already have an Environmental Permit issued by the Environment Agency? (In the case of a cesspool write N/A)		
f YES, please provide Environmental Permit reference number		
2. Discharge	YES	NO
Do you propose to use a package treatment plant?		х
Do you propose to use a septic tank?	Х	
Do you propose to use a cesspool? If YES go to Q4		х
Have you considered having your system adopted by the sewerage undertaker? (see Guidance Note 7).		
Will all, or any part of, the discharge go to a drainage field or soakaway? (see Guidance Note 3) - this includes systems that combine a drainage field with a high level overflow to watercourse If YES go to Q3.	х	
Do you intend to use a system that discharges solely to watercourse? (see Guidance Note 3) If YES go to Q9.	х	
	-	
3. Water abstraction	YES	NO
Do you receive your water from the public mains supply?	X	
f not, where do you get your water supply from?		
4. Cesspools (For methods other than cesspools write N/A)	YES	NO
Have you provided written justification for the use of a cesspool in preference to more sustainable methods of foul drainage disposal? (see Guidance Note 4)		



YES

NO

If not, why not?

5. Drainage field design (For cesspools write N/A)

British Standard BS6297:2007?

Will the system discharge to a drainage field designed and constructed in accordance with

Will the discharge from the system be located in a Source Protection Zone 1 (SPZ1)?

Note 6)? 6b. If NO please explain the justification for not undertaking or submitting these tests.		
6c. Is any part of the system in land which is marshy, water logged or subject to flooding?		
6d. Will the soakaway be located on artificially raised, made-up ground or ground likely to be contaminated? If YES please provide details as additional information.		
6e. Have you submitted the results of a trial hole at the site to establish that the proposed drainage field will be above any standing groundwater (see Guidance Note 6)?		
7. Available Land	YES	NO
Is the application site plus any available area for a soakaway less than 0.025 hectares (250m²)?		X
8. Siting of drainage field/soakaway discharge from a septic tank or package treatment plant or other secondary treatment. You may need to make local enquiries to get a full answer to these questions.	YES	NO
Will it be at least 10m from a watercourse, permeable drain or land drain?	V	
Will it be at least 50m from any point of abstraction from the ground for a drinking water supply (e.g. well, borehole or spring)? <i>This includes your own or a neighbour's supply</i> .	/	
Will the discharge be within a groundwater <u>Source Protection Zone 1</u> ? If yes, you will need to apply for an environmental permit		X
Are there any drainage fields/soakaways within 50m ? This includes any foul drainage discharge system (other than the subject of this application) or surface water soakaway on either your own or a neighbour's property.		×
Will it be at least 15m from any building?	V	
Will there be any water supply pipes or underground services within the disposal system, other than those required by the system? (For cesspools write N/A)		×
Will there be any access roads, driveways or paved areas within the disposal area? (For cesspools write N/A)		×
9. Siting of treatment plant, septic tank or cesspool	YES	NO
s it at least 7m from the habitable part of a building?	/	
Will there be vehicular access for emptying within 30m?		
Can the plant, tank or cesspool be maintained or emptied without the contents being taken through a dwelling or place of work?		
10.Expected flow		
Please estimate the total flow in litres per day (see Guidance Note 5).	3.9	4
11. General Binding Rules for Small Sewage Discharges	YES	NO
Does the system meet the requirements of the General Binding Rules for small sewage discharges?	/	
12. Maintenance		
How do you propose to maintain the system?		
Existing septic tank for the events building		
Marquee will be run off only part of the year when the marquee is erected.		
Toilets for marquee use will be taken off site		

•		

13. Declaration

I declare that the above information is factually correct.

Name	Signature	Date	
LAURA FOSTER		11/1/19	

GUIDANCE NOTES:

This form is for use with the <u>National Planning Practice Guidance</u>, <u>British Standard BS6297:2007 and <u>Building Regulations Approved Document H.</u> It is intended to help Local Planning Authorities establish basic information about your non-mains drainage system and decide whether you need to submit a more detailed site assessment. If a detailed site assessment is requested but not submitted, your planning application might be refused.</u>

NYMNPA

12/07/2019

Further Details For FDA form (Laura Heath, YO21 1UY)

NYMNPA 12/07/2019

Feasibility:

There is a one metre fall from our system to the sewer, but this is 255 metres away that would give a gradient of 1 in 300 where the minimum gradient required would be 1 in 100.

There is the possibility of putting a pumping station, but the cost is £25,000, which we would like to avoid if at all feasible.

- 1. No EA permit required in its current use. A bespoke water quality permit domestic, would be needed if project was to go ahead.
 - 5. Drainage field design: Septic tank already in location
- 6. Septic tank already in location
- 10. Expected Flow have calculated this as maximum possible flow (so 25 events are all large at 120 people, all drinking)

Background to drainage:

Egton Manor was completed in 1914 and had approximately 40 bedrooms with multiple bathrooms. The house was used for large social functions. The outbuildings accommodated the laundry, the stables, staff living quarters, and garages.

In 1979 two thirds of the house were demolished, leaving a far smaller footprint, but same septic tank system.

I have looked through the files and can see no previous issues with the system. In our five years we have had no issue with it.

Foul Drainage Assessment Form (FDA)

	APPLICANT DETAILS	
Name Laura Heath		
Address		
Egton Manor, Egton B	idge, North Yorkshire, YO21 1UY	
Telephone No		
e-mail c/o agent -		

We will use the information you provide on this form to establish whether non-mains drainage, either a new system or connection to an existing system, would be acceptable. It is important that you provide full and accurate information. Failure to do this will delay the processing of your application.

You must provide evidence that a connection to the public sewer is not feasible.

Other than in very exceptional circumstances, we will not allow the use of non-mains drainage as part of your Planning or Building Regulation application unless you can prove that a connection to the public sewer is not feasible. We do not consider non-mains drainage systems to be environmentally acceptable in locations where it is feasible to connect to a public sewer. Please note that a lack of capacity in, or other operating problems with, the public sewer are not valid reasons to use a non-mains drainage system where it is otherwise feasible to connect to a public sewer.

Where connection to the public sewer is feasible, you may need to get the agreement of either the owners of any land through which the drainage will run or, if you intend to connect via an existing private drain, the owner of that private drain.

The National Planning Practice Guidance and <u>Building Regulations Approved Document H</u> give a hierarchy of drainage options that must be considered and discounted in the following order:

- 1 Connection to the public sewer
- 2 Package sewage treatment plant (which can be offered to the Sewerage Undertaker for adoption)
- 3 Septic Tank
- 4 If none of the above are feasible a cesspool

You must respond to all the following questions. If you wish to submit additional information please do so, marked clearly "Additional Information". In some cases you will be required to provide further information in order to demonstrate that any non-mains foul drainage system proposed is acceptable.