

Valley View Golden Grove Whitby YO22 5HH

North York Moors National Park Authority The Old Vicarage Bondgate Helmsley York YO62 5BP

4 March 2020

RE: NYM/2019/0398/FL

Dear Jill

Please find enclosed the completed Application for approval of details reserved condition form and three copies as requested. The initial drawing/map showing the location of the package treatment plant has been sent by email. If a further, more detailed drawing is needed (per our email correspondence) we will prepare and forward one.

The application fee has been paid online by BACS.

Kind regards

Lorraine Clissold

Hi Jill

Please find the information on the treatment plant below. Ours will be from the L range. The Biotec L6.

I hope this is the information you need

Warm wishes

Lorraine

Klargester BioTec™

The Klargester BioTec[™] is the economical off-mains solution for single houses and uses the tried and tested aerobic biological process for the treatment of domestic sewage. Klargester BioTec[™] sewage treatment systems are ideal for single/multiple houses and employ the well proven aerobic biological trickling filter process for the treatment of sewage.

Wendy Strangeway

From:	Lorraine Clissold
Sent:	04 March 2020 09:57
То:	Jill Bastow
Cc:	Gareth Reed
Subject:	Sewage treatment plant at Valley View

Good Morning Jill

Following the confusion, I spent the evening doing some research into sewage disposal and have spent the morning talking to our suppliers.

My understanding is that debate between septic tank and soaraway which took place at the time of our planning application has been superseded by the introduction of the 'treatment plant' (which we have erroneously been calling a soaraway).

If I understand correctly, and I have now looked into this in depth, the treatment plant has been designed to meet the new regulations (see

Homeowners with septic tanks that discharge directly into ditches, streams, canals, rivers, surface water, drains or any other type of water course will need to replace or upgrade their drainage either when they sell their property or as soon as possible.

Homeowners are responsible for their choice, installation and maintenance of their wastewater system under a new code of practice introduced by the Environment Agency. They have a legal responsibility to minimise the impact of their sewage waste if they manage it within the bounds of their property e.g. with a septic tank or sewage treatment plant (Binding Rules - England, DEFRA, January 2015).

ALL septic tanks that currently ultimately discharge into watercourses will have to be either:

• Replaced using a sewage treatment plant with full BS EN 12566-3 Certification instead, or

The discharge to the watercourse stopped and diverted to a drainfield, designed and constructed to the current British Standard BS6297 2007

Important Update:

Under very specific ground or site conditions, reed beds and converters can occasionally be used to comply with the **General Binding Rules.** Kingspan Klargester's <u>reed beds</u> are low maintenance, easy to install, and Building Regulations-compliant.

below)

The discharge from a treatment plant is clear water which I have been told (though will not put to the test) could be drunk. It is dispersed to the surface where we will create a small wetland habit which will enhance the biodiversity of the woodland. As there is no contaminated water being discharged, no herring bone channels, and the site is on a hill we don't think there is a need for a percolation test. Moreover, whilst it will be dispersed into the ground it could actually be dispersed into a watercourse will no ill effects.

Keith Bell at Wild Nobles, our supplier, is happy to talk this through to you or arrange for you to talk with Kingspan, the manufacturer.

Please see the specification below. Especially point 04.

Product Benefits

The Klargester Domestic

BioDisc[®] is engineered

to the highest level of

of the lowest lifetime

standards and offers one

Primary Settlement Tank


to treat wastewater

- · Utilises Rotating Biological Contactor technology.
- · Low running costs.

 Low level visibility with a lockable child-proof cover – safe for children and pets. Delivers better than 95% pollution removal.

The Rotational Biological Contactor

The RBC is central to the operation of each Klargester BioDisc[®]. It supports a biologically active film or biomass onto which aerobic micro-organisms, naturally found in sewage, become established. Natural breakdown of sewage can then occur as described below.



01

Primary Settlement Tank

Wastewater and sewage flows into the primary settlement tank where the large solids are retained for future removal. \bar{k}

First Stage Biological Treatment

02

The liquor and fine solids then flow into the Biological Treatment Zone 1 where the first stage of treatment occurs.

Population Equivalent (Std Flow) Imaximum Daily BOD (kg) Maximum Daily Flow (m3) Imaximum Daily Flow (m3) 20/Width (mm) Imaximum Daily Flow (m3) Length (mm) Imaximum Daily Flow (m3) Depth Below Inlet Invert (mm) Imaximum Daily Flow (m3) Outlet Invert Oppth (mm) Imaximum Daily Flow (m3) Quest Invert Common (mm) Imaximum Daily Flow (m3) Standard Power Supply Imaximum Daily Flow (Matts)	6 0.36 12 01995 - 450/750/1250 1400 1315 2160/2460/2960 1945/2245/2745 310/325/380	9 0.54 1.8 Ø1995 - 450/750/1250 1400 1315 2160/2460/2960	12 0.72 2.4 01995 - 450/750/1250 1400 1315 2160/2460/2960	18 1.08 3.6 02450 - 600/1100 1820 1735	12566 Part 3. > Performance certified to
daximum Daily Flow (m3) 2hViidth (mm) ength (mm) Depth Below Inlet Invert (mm) Dutlet Invert Depth (mm) Dutlet Invert Depth (mm) Duvenil Height (mm) isolarity of Cover (mm) impty Weight (kg) itandard Power Supply	1.2 Ø1995 - 450/750/1250 1400 1315 2160/2460/2960 1945/2245/2745	1.8 Ø1995 - 450/750/1250 1400 1315 2160/2460/2960	2.4 Ø1995 - 450/750/1250 1400 1315	3.6 Ø2450 - 600/1100 1820 1735	 Certified to European Standard BS El 12566 Part 3. Performance
2/Width (mm) .ength (mm) .ength (mm) .nlet invert depth (mm)	01995 - 450/750/1250 1400 1315 2160/2460/2960 1945/2245/2745	01995 - 450/750/1250 1400 1315 2160/2460/2960	2)1995 - 450/750/1250 1400 1315	22450 - 600/1100 1820 1735	European Standard BS El 12566 Part 3. > Performance certified to
ength (mm) hlet Invert depth (mm) bepth Below Inlet Invert (mm) butlet Invert Depth (mm) butlet Invert Depth (mm) leight to Rim of Cover (mm) mpty Weight (kg) tandard Power Supply	450/750/1250 1400 1315 2160/2460/2960 1945/2245/2745	- 450/750/1250 1400 1315 2160/2460/2960	- 450/750/1250 1400 1315	- 600/1100 1820 1735	Standard BS El 12566 Part 3. > Performance certified to
nlet Invert depth (mm) Papth Below Inlet Invert (mm) Unter Invert Depth (mm) Varial Height (mm) Integht to Rim of Cover (mm) Integht vegight (kg) Integht Power Supply	1400 1315 2160/2460/2960 1945/2245/2745	450/750/1250 1400 1315 2160/2460/2960	450/750/1250 1400 1315	600/1100 1820 1735	 Performance certified to
Depth Below Inlet Invert (mm) Dutlet Invert Depth (mm) Verall Height (mm) Height to Rim of Cover (mm) mpty Weight (kg) Randard Power Supply	1400 1315 2160/2460/2960 1945/2245/2745	1400 1315 2160/2460/2960	1400 1315	1820 1735	certified to
Dutlet Invert Depth (mm) Dverall Height (mm) Height to Rim of Cover (mm) Empty Weight (kg) Standard Power Supply	1315 2160/2460/2960 1945/2245/2745	1315 2160/2460/2960	1315	1735	
Verall Height (mm) Height to Rim of Cover (mm) impty Weight (kg) itandard Power Supply	2160/2460/2960 1945/2245/2745	2160/2460/2960			achieve 10ma/
Height to Rim of Cover (mm) impty Weight (kg) itandard Power Supply	1945/2245/2745		2160/2460/2960		BOD, 15mg/l
impty Weight (kg) itandard Power Supply		1045 0045 0745	E100-E100-E100	2825/3325	SS and 3.8mg/
itandard Power Supply	310/325/380	1945/2245/2745	1945/2245/2745	2485/2985	ammonia.
		310/325/380	335/350/405	650/750	> Fully marked
1otor Rating - 1 Phase (Watts)	1 phase	1 phase	1 phase	1 phase	in line with the
	50	50	50	75	CPR 2013.
ull Load Current 1 Phase (amps)	0.51	0.51	0.51	1,1	
Optional Power Supply	N/A	N/A	N/A	3 phase	
fotor Rating - 3 Phase (Watts)	N/A	N/A	N/A	90	-
ull Load Current 3 Phase (amps)	N/A	N/A	N/A	0.38	
udge Return Pump Rating (watts)	250	250	250	250	
he Klargester Domestic BioDisc [®] BA-BC r ange of applications including: Single & Barn Multiple Homes Conversions	Small C) Offices Light	t Industrial Premises	Farms	

I hope this is helpful and I apologise for the confusion which arose from the use of the generic term 'soak-away'!

I have completed the CVC form and will copy and put in the post today

With kind regards

Lorraine

Town and Country Planning Act 1990 North York Moors National Park Authority

Notice of Decision of Planning Authority on Application for Permission to Carry out Development

To: Lorraine Clissold

c/o Reed Studio fao: Mr Gareth Reed Keelham Cottage Keelham Lane Todmorden OL14 8RX

The above named Authority being the Planning Authority for the purposes of your application validated 11 June 2019, in respect of proposed development for the purposes of siting of 1 no. log cabin with associated footpath for use as holiday accommodation together with construction of replacement domestic outbuilding at Valley View, Golden Grove, Whitby has considered your application and has granted permission for the proposed development subject to the following conditions:

- 1. The development hereby permitted shall be commenced before the expiration of three years from the date of this permission.
- 2. The development hereby permitted shall not be carried out other than in strict accordance with the following documents:

Document Description	Document No.	Date Received				
Proposed Site Plan	01065 002 TP3	14 Aug 2019				
Site Location Plan	01065 001 TP3	25 June 2019				
Proposed Plans & Elevations Log Cabin	01065 007 TP1	4 June 2019				
Proposed Plans & Elevations Outbuilding	01065 006 TP1	4 June 2019				
or in accordance with any minor variation thereof that may be approved in writing by						
the Local Planning Authority.						

- 3. The log cabin hereby approved shall not be used for residential purposes other than holiday letting purposes. For the purpose of this condition 'holiday letting' means letting to the same person, group of persons or family for period(s) not exceeding a total of 28 days in any one calendar year.
- 4. The log cabin hereby permitted shall form and remain part of the curtilage of the existing dwelling known as Valley View and shall not be sold or leased off from the main dwelling or let off except as holiday accommodation in accordance with the terms of condition 3 above without a further grant of planning permission from the Local Planning Authority.
- 5. In the event of the log cabin hereby approved no longer being required for holiday letting purposes, within six months of the cessation of the use, the timber cabin shall be completely removed from the site and thereafter the site retained clear of timber cabins unless a further permission for an alternative use has been granted.

Mr C M France Director of Planning

Continued/Conditions

Date 3 September 2019

Please Note your Rights of Appeal are attached to this Decision Notice

Town and Country Planning Act 1990

Continuation of Decision No. NYM/2019/0398/FL

- 6. All new window frames, glazing bars, external doors and door frames shall be of timber construction and shall be maintained in that condition in perpetuity unless otherwise agreed in writing with the Local Planning Authority.
- 7. No external lighting shall be installed in the development hereby permitted until details of lighting have been submitted to and approved in writing by the Local Planning Authority. The lighting shall be installed in accordance with the details so approved and shall be maintained in that condition in perpetuity.
- 8. No provision of services including electric, sewage, telephone and water shall be installed in the development hereby permitted until details have been submitted to and approved in writing by the Local Planning Authority. The services shall be installed in accordance with the details so approved and shall be maintained in that condition in perpetuity.
- 9. Prior to the timber cabin hereby approved being first brought into use, a vehicle passing place shall be provided in accordance with details first approved in writing by the Local Planning Authority in consultation with the Highway Authority
- 10. The development hereby permitted shall be carried out in accordance with the mitigation, compensation and enhancement measures set out in paragraphs 5.1, 5.2 and 5.3 of the submitted Ecological Appraisal by Naturally Wild dated August 2019 and paragraph 5 of the Arboricultural Impact Assessment and Plan by Elliott Consultancy dated August 2019.
- 11. No trees forming the woodland within the site shall be felled, uprooted, wilfully damaged or destroyed, cut back or removed without the prior written consent of the Local Planning Authority. Any work approved shall be carried out in accordance with British Standard 3998:2010 Tree Work Recommendations. If any retained tree/hedge is removed, uprooted, destroyed or dies within five years of the completion of the development, it shall be replaced with trees, shrubs or hedge plants of a similar size and species, unless the Local Planning Authority gives written consent to any variation.

Informative

1. You are advised that a separate licence will be required from the Highway Authority in order to allow any works in the adopted highway to be carried out. The 'Specification for Housing and Industrial Estate Roads and Private Street Works' published by North Yorkshire County Council, the Highway Authority, is available at the County Council's offices. The local office of the Highway Authority will also be pleased to provide the detailed constructional specification referred to in condition 10.

Reasons for Conditions

- 1. To ensure compliance with Sections 91 to 94 of the Town and Country Planning Act 1990 as amended.
- 2. For the avoidance of doubt and to ensure that the details of the development comply with the provisions of NYM Core Policy A and NYM Development Policy 3, which seek to conserve and enhance the special qualities of the NYM National Park.

Continued/Reasons for Conditions

Mr C M France Director of Planning

Town and Country Planning Act 1990

Continuation of Decision No. NYM/2019/0398/FL

- 3. The site is in a location where new residential development would be contrary to NYM Core Policy J but permission for holiday accommodation has been permitted to provide facilities for visitors in line with NYM Development Policy 16.
- 4. The site is in a location where the occupation of the accommodation hereby permitted as a separate independent dwelling unit would be contrary to NYM Core Policies B and J.
- 5. In order to comply with the provisions of NYM Development Policy 16 which seeks to ensure that new chalet development can be removed when no longer required so as to conserve and enhance the special qualities of the National Park.
- 6. For the avoidance of doubt and in order to comply with the provisions of NYM Core Policy A and NYM Development Policy 3 which seek to ensure that the appearance of the development is compatible with the character of the locality and that the special qualities of the National Park are safeguarded.
- 7 & 8. In the interests of the visual amenities of the locality and to comply with the provisions of NYM Core Policy A which seeks to conserve and enhance the special qualities of the National Park.
- 9. In accordance with NYM Development Policy 23 and in the interests of highway safety.
- 10 & In order to comply with the provisions of NYM Core Policy C which seeks to
- 11. conserve and enhance the quality and diversity of the natural environment.

Explanation of how the Authority has Worked Positively with the Applicant/Agent

The Local Planning Authority has acted positively in determining this application by assessing the scheme against the Development Plan and other material considerations and subsequently granting planning permission in accordance with the presumption in favour of sustainable development, as set out within the National Planning Policy Framework.

Mr C M France Director of Planning

Rights of Appeal

(1) If the applicant is aggrieved by the decision of the Local Planning Authority to refuse permission or approval for the proposed development, or to grant permission or approval subject to conditions, they may appeal to the Secretary of State of Department of Communities and Local Government in accordance with Section 78 of the Town and Country Planning Act 1990, within six months of the date of this notice (12 weeks in the case of a minor commercial application). The Secretary of State can allow a longer period for giving notice of an appeal but will not normally be prepared to use this power unless there are special circumstances which excuse the delay in giving notice of appeal. The Secretary of State need not consider an appeal if it seems to the Secretary of State that the Local Planning Authority could not have granted planning permission for the proposed development or could not have granted it without the conditions they imposed, having regard to the statutory requirements, to the provisions of any development order and to any directions given under a development order.

In practice, the Secretary of State does not refuse to consider appeals solely because the Local Planning Authority based their decision on a direction given by him.

(2) If permission to develop land is refused, or granted subject to conditions, whether by the Local Planning Authority or by the Secretary of State, the owner of the land may claim that the land has become incapable of reasonably beneficial use in its existing state and cannot be rendered capable of reasonably beneficial use by the carrying out of any development which has been or would be permitted, he may serve on the council of the county/district in which the land is situated a purchase notice requiring that council to purchase his interest in the land in accordance with the provisions of Part VI of the Town and Country Planning Act 1990.

Note: If an aggrieved applicant wishes to exercise their right of appeal as above mentioned, they should do so using a form which you can get from the Secretary of State at:

Temple Quay House, 2 The Square, Temple Quay, Bristol, BS1 6PN (Tel: 0303 444 00 00) or online at <u>www.planningportal.gov.uk/planning/appeals</u>

Notes

- 1. Please note, only the applicant possesses the right of appeal.
- 2. No consent, permission or approval hereby given absolves the applicant from the necessity of obtaining the approval, under the Building Regulations, of the District Council in whose area the site of the proposed Development is situated; or of obtaining approval under any other Bye-Laws, local Acts, orders, regulations and statutory provisions in force; and no part of the proposed development should be commenced until such further approval has been obtained.
- 3. In your own interests your attention is particularly drawn to the conditions under which approval has been given to your proposals. Failure to comply fully with the conditions could lead to enforcement action resulting in work already done being demolished or prosecution in Magistrates' Court.
- 4. If this is a decision on a planning application relating to the same or substantially the same land and development as is already the subject of an enforcement notice, if you want to appeal against your Local Planning Authority's decision on your application, then you must do so within 28 days of the date of this notice.
- 5. If an enforcement notice is served relating to the same or substantially the same land and development as in your application and if you want to appeal against your Local Planning Authority's decision on your application, then you must do so within: 28 days of the date of service of the enforcement notice, or within 6 months (12 weeks in the case of a householder appeal) of the date of this notice, whichever period expires earlier.