

Caroline Bell

From: Wendy Howard
Sent: 17 December 2020 12:16
To: Jill Bastow
Subject: confirmation.

Good morning , to clarify following my email of yesterday, J hallam joinery of Egton will be constructing the windows from wood (they only use wood), the windows will be the flush type that your office has said they have a preference to (not the storm proof raised sash). As in photos already sent for approval. The colour will be the 'heritage green' again in the photos already sent. The paint manufacturer is on the tin in the photo already sent. Please confirm that you have recieved the afore mentioned photos.Many thanks
Chris Howard

From: Wendy Howard
Sent: 15 December 2020 21:27
To: Planning
Subject: Fw: joinery

Hi planning , here is the paint used by the joiner to paint our windows. As we are now agreed on style and colour am I ok to at last to instruct the joiner to get cracking so I can get the barn water tight before any more bad weather.? many thanks chris

SYMPHONY COATINGS NORTH EAST LTD
Unit B8 Hamar close, Tyne tunnel trading est. North
shields, NE297XB
Tel: 0191 2584564

SIKWF382FB19/20

F&B 19 LICHEN
WATERBASED EXTERIOR
SIKKENS WF382

Formulation: 8928
Batch: 24071820
Contains: 20 Litres

**PLEASE ENSURE THAT THIS PRODUCTS QUALITY,
SHADE AND SHEEN MEETS YOUR REQUIREMENTS
NO LIABILITY CAN BE ACCEPTED AFTER USE.**

R10-Flammable. R20/21- Harmful by inhalation and in contact with skin. R38- Irritating to skin.
Harmful:- Danger of serious damage to health by prolonged exposure through inhalation. -
Possible risk of harm to the unborn child. Keep away from sources of ignition - No smoking - Do
not breathe vapour/spray - Take precautionary measures against static discharges - Wear
suitable protective clothing and gloves - Use only in well ventilated areas - Contains Toluene
and Xylene (o- m- isomers).

Harmful by inhalation and contact with skin. Do not breathe vapour or spraymist. Keep away from sources of ignition.
No Smoking. Do not empty into drain. Take precautionary measures against static discharges.

SATIN MATT MID AND TOP COAT
SEIDENMATTE ZWISCHEN- UND SCHLUSSBESCHICHTUNG
ПОЛУМАТОВОЕ ПРОСРЕДУТОЧНОЕ И ФИНИШНОЕ ПОКРЫТИЕ

DANGER
UN 1263
PAINT



33199

Net 13.9kg (2010) 519A

Contains 1,2-benzisothiazol-3(2H)-one. May
produce an allergic reaction. Safety data sheet
available on request.

Enthält 1,2-Benzisothiazol-3(2H)-one. Kann
allergische Reaktionen hervorrufen.
Sicherheitsdatenblatt auf Anfrage erhältlich.

Bevat 1,2-benzisothiazol-3(2H)-one. Kan
allergische reaktioner hervorkomma.
Veiligheidsinformatieblad op aanvraag beschikbaar.

Contient du (de la) 1,2-Benzisothiazol-3(2H)-one.
Peut produire une réaction allergique.
Fiches de sécurité disponibles sur demande.