

Verity Allen

NYMNPA

15/01/2021

From: Mark Bramhall
Sent: 14 January 2021 17:02
To: Planning; Jill Bastow
Subject: RE: NYM/2020/0884/FL - APC in Assure
Attachments: 1273_EX10_01A Location Plan _ Layout.pdf; 1273_AR20_01A Site Plan _ Layout.pdf

Follow Up Flag: Follow up
Flag Status: Completed

Categories: Green Category

REFERENCE EML-OUT/1273/20210114-165656-473

Good afternoon Jill,

Further to our discussions before Christmas I revised the location of the solar array to a position much nearer to the buildings at Hern head. This was then sent back to the solar array contractor who re-calculate on this basis. I am now in a position to send the revised location plans to you and would be grateful if these could now be considered as part of our current application. Please let me know if you require an extension of time to cover the reconsultation.

Kind regards
Mark

Mark Bramhall *BA (Hons) MA RCA RIBA*

bramhall blenkarn


Director
The Maltings, Malton, YO17 7DP



This email and any files transmitted with it are confidential and intended solely for the use of the individual to whom it is addressed. Any views or opinions presented are solely those of the author and do not necessarily represent those of the company, Bramhall Blenkarn. Unless otherwise stated within a contractual document, email messages must not be considered as an instruction against a building contract. If you have received this email in error, please contact Bramhall Blenkarn by email on [redacted]. Whilst every care has been taken to check this outgoing email for viruses, it is seen as your responsibility to check and sweep it, along with any attachments, for viruses on receipt. All liability is excluded to the fullest extent permitted by law.

NYMNPA
15/01/2021

AMENDED



491000m

491100m

491200m

Whole sheet in applicant's ownership

Spring

1.22m RH

Existing vehicular access to public highway

Ground mounted solar array
132 No. 310 Wp Solar PV modules.
(3 Banks of 44No. modules)
Total array output: **40.92kWp**

Total application red line site boundary 290m² / 0.029ha

Underground grid connection cable (linear length approx. 60m)

Track

Hern Head House



SCALE BAR

Crown Copyright and database rights 2017 OS 100019980

SITE PLAN (1:500@A1)

Rev	Date	Drawn	CHK'd	Description
A	04/01/21	JD		Ground solar array position amended

bramhall blenkarn

RIBA Chartered Practice
The Maltings Malton North Yorkshire YO17 7DP

Project:
Proposed 40.92 kWp Ground Solar Array
Address:
Hern Head House, Troutsdale, YO139PS
Client:
Mr & Mrs Barret


Drawing:
SITE PLAN

© Bramhall Blenkarn - Do Not Scale From This Drawing - 1273_Existing_Site_Model				
1:500	Drawn	First Issue Date	DIMMY	
A1	JD	27/10/20		
Scale	Checked	Drawing No.		
1:500	MB	1273_AR20_01A		

NYMNP
15/01/2021

AMENDED

N



490900m

491000m

491100m

491200m

Blue line area in applicant's ownership

Total application red line site boundary 290m² / 0.029ha

Ground mounted solar array

1.22m RH

Track

Hern Head House

Existing access to public highway

Troutsdale Beck

to Snainton Lane to Snainton

A	04/01/21	JD		Ground solar array position amended
Rev	Date	Drawn	Chk'd	Description

bramhall blenkarn



RIBA Chartered Practice

The Maltings Malton North Yorkshire YO17 7DP

Project
Proposed 40.92 kWp Ground Solar Array

Address
Hern Head House, Troutsdale, YO139PS

Client
Mr & Mrs Barret

Drawing
LOCATION PLAN

© Bramhall Blenkarn - Do Not Scale From This Drawing - 1273_Existing_Site_Model

1:pin	Sheet Size	Drawn	First Issue Date
A3	JD	26/10/20	

Scale	Checked
1:1250	MB

Rev.	Drawing No.
	1273_EX10_01A

LOCATION PLAN (1:1250@A3)

SCALE BAR

Crown Copyright and database rights 2017 OS 100019980