

Scale 1:1250



© Crown copyright and database rights 2021 Ordnance Survey 100048957. The representation of road, track or path is no evidence of a boundary or right of way. The representation of features as lines is no evidence of a property boundary.


Serial No: 209814 Centre Coordinates:496600,495795 Production Date: 05/04/2021 14:21:24

NYMNPA 28/04/2021

© Crown copyright and database rights 2016 Ordnance Survey 100048957.
The representation of road, track or path is no evidence of a boundary or right of way. The representation of features as lines is no evidence of a property boundary.








200m Scale 1:5000

Supplied by: www.ukmapcentre.com Serial No: 102670 North Production Date: 31/10/2016 09:16:09

Centre Coordinates:496596,495836


proposed development scheme for the grainary harewood dale



interior of conservatory

NYMNPA

28/04/2021





ROOF CONSTRUCTION

Roof construction to comprise clay pantiles on a vapour permeable barrier (eg. Marley Ultima PR) or similar with treated timber laths 50 x 35 and with 120mm Celotex FR5000 between rafters and 50mm thick Celotex FR5000 between raiters and 50mm thick Celotex
FR5000 below rafter and 500 gauge polythene vapour
check with 12.5mm gypsum plasterboard and skim.
All to give a U-value of 0.16 W/m²k
existing built up timber roof retained
All tiles including eaves, ridge and verges to be

nailed/clipped

roof members to be secured using proprietary anchors, clips and fixings all in accordance with specialist recommendations

Note: no notches or holes to be cut in roof rafters other than at supports where they may be birdsmouthed to a depth not exceeding 1/3 rafter depth

