
DESIGN AND ACCESS STATEMENT

I HAVE SUBMITTED MY PROPOSAL IN THE WAY THAT I HAVE TO ENSURE THAT IT IS CLEAR AND ACCESSIBLE TO ALL.

THE THINKING BEHIND THE SCHEME WAS FOR THE FRONT WALL TO BE SAFELY MAINTAINED AND REBUILT TO MATCH THE STYLE AND HEIGHT OF THE EXISTING WALLS EITHER SIDE OF MY PROPERTY AND FOR THE EXISTING WARPED WOODEN GATE TO BE REPLACED WITH A SPLIT WOODEN GATE TO ALLOW FOR EASE OF PEDESTRIAN AND VEHICLE ACCESS TO AND FROM MY PROPERTY.

I ARRIVED AT MY DESIGN BY CHECKING OTHER STONE WALLS AND GATES IN THE VILLAGE, SO THAT THE FINISHED PROPOSAL WOULD BE IN KEEPING WITH OTHER PROPERTIES WITH IN THE CONSERVATION AREA OF EGTON VILLAGE.



## Applications for Minor Works

For applications for small-scale works of a minor nature a lesser amount of information may be required within a Heritage Statement to understand the impact of the proposed works on the significance of a heritage asset. Examples where a reduced amount of information is required could include the erection of a satellite dish on a Listed Building or within a Conservation Area; the replacement of windows or doors on a non-Listed Building within a Conservation Area; or the replacement of a modern fireplace with a more traditional design in a Listed Building.


What works are proposed? What is significant about the heritage What impact do the works have How has the impact of the asset? on the part of the heritage asset proposals been minimised? affected? The impact of the works to rebuild One of the important characteristics of Rebuilding of the stone wall at the The impact of the proposal has been the stone wall, would be to improve the part of Egton that I live in are the front of the property, to match the minimised by taking into stone walls that run along the boundaries the aesthetics of the existing wall, height of the existing walls on either consideration the existing of the properties. They are constructed of side of the property. To be of a dry which at the moment is significantly characteristics of Egton and how dry stone walls, with rounded topping stone wall construction, finished with lower than the walls on either side these can be maintained for the of the property and in need of some the existing topping stones. future of Eaton. stones. maintenance. The wall would then match in height and style of the The stone wall is in need of In Egton, there are wooden, five bar, bent Replacement of existing warped heel gates, along with other gates of existing neighbouring walls, which wooden five bar gate, with a split maintenance and the rebuilding of it wooden, five bar, heel end gate. are part of the important to match existing neighbouring walls, different styles and made from different materials. The neighbouring properties characteristics of this part of Egton. would enhance the aesthetics of it. have wooden gates across their The replacement of the existing The proposal of the replacement driveways. gate, would be in keeping with other gate would be minimised, as it is in gates in Egton. keeping with other gates in the NYMNPA village. 04/11/2021

In these cases applicants may prefer to submit a Heritage Statement in a table format that incorporates the following headings:

Please note that it is the applicant's responsibility to submit sufficient information with their application to understand the impact of the proposals on the significance of any heritage assets affected. If you are in any doubt about the extent of information that is required and to avoid delays in validating your application please contact the relevant Officers to discuss this prior to submission.

continued overleaf .....

NYMNPA 27/10/2021







EXISTING STONE WALL (PHOTO 1)




EXISTING STONE WALL AND WOODEN, FIVE BAR GATE (PHOTO 2)

NYMNPA	
27/10/2021	



RIGHT-HAND NEIGHBOURING STONE WALL (PHOTO 3)



NYMNPA

LEFT-HAND NEIGHBOURING WALL (PHOTO 4)

NYMNPA 27/10/2021



IMAGE OF BENT HEEL GATE, MADE BY DUNCOMBE SAWMILL, HELMSLEY (PHOTO 5)

PROPOSED NEW GATE, TO BE A SPLIT GATE, MADE UP OF A SHORTER GATE – 1.06M WIDE AND A LONGER GATE 2.13M WIDE