From:	Hilary Saunders
To:	<u>Planning</u>
Subject:	FW: Hilary WRT NYM-2017-0412-FL re St Athanasius E10772- nymnp drainage farm Bldg 31-05-18
Date:	24 September 2018 09:55:43
Attachments:	image002.png
	image003.png
	image004.png
	41200-ERDA-001 St Athanasius Monastery FULL pdf

Doing checklist now

Mrs Hilary Saunders MRTPI Planning Team Leader Development Management

North York Moors National Park Authority The Old Vicarage Bondgate Helmsley York YO62 5BP

Tel. no. 01439 772700 Web: <u>www.northyorkmoors.org.uk</u>

From: Sent: 21 September 2018 08:07 To: Hilary Saunders Cc: Neil Duffield Subject: RE: Hilary WRT NYM-2017-0412-FL re St Athanasius E10772- nymnp drainage farm Bldg 31-05-18

Hilary

It has taken some sorting, however, please find attached the FRA report in relation to the above project.

We trust that this satisfies the conditions.

If you have any queries, please do not hesitate to contact this office.

Regards

Paul Sedman



For and on behalf of Alan Wood & Partners • SCARBOROUGH • HULL • LINCOLN • LONDON • SHEFFIELD • YORK • • Kingsley House • 7 Pickering Road • West Ayton • Scarborugh • YO13 9JE •

Alan Wood & Partners is the trading name of Alan Wood Partnership Ltd. Registered in England No. 1988349. Registered/Head Office: 341 Beverley Road, Hull, HU5 1LD



This email may contain confidential and/or privileged information for the sole use of the intended recipient. Any views or distribution by other is strictly

prohibited. If you have received this email in error, please contact the sender and delete all copies. Opinions, conclusions or other information expressed or contained in this email are not given or endorsed by the sender unless otherwise affirmed independently by the sender.

From: Hilary Saunders [mailto:h.saunders@northyorkmoors.org.uk] Sent: 04 June 2018 09:42

Subject: FW: Hilary WRT NYM-2017-0412-FL re St Athanasius E10772- nymnp drainage farm Bldg 31-05-18

Morning Neil,

Please find attached comments from the County Council below.

Kind regards

Hilary

Mrs Hilary Saunders MRTPI Planning Team Leader Development Management

North York Moors National Park Authority The Old Vicarage Bondgate Helmsley York YO62 5BP

Tel. no. 01439 772700 Web: <u>www.northyorkmoors.org.uk</u>

From: Sent: 04 June 2018 09:40 To: Hilary Saunders Subject: RE: Hilary WRT NYM-2017-0412-FL re St Athanasius E10772- nymnp drainage farm Bldg 31-05-18

Dear Hilary,

Please see comments in relation to application NYM-2017-0412-FL in conjunction with email correspondence below:

- 1. The submitted Flood Risk Screening Assessment does not consider all sources of flooding, this is required. A NPPF compliant Flood Risk Assessment should be submitted for this application. The FRA submitted should be appropriate for the level of flood risk for the development and account for all sources of flooding and propose mitigation measures.
- 2. The assessment does not account for the effect that the proposed development will have on flood levels, as this is likely to reduce the available flood plain for the nearby watercourse. It is for the applicant to demonstrate that this is not the case.

- 3. For pollution matters, the LLFA will defer to the comments made by the Environment Agency.
- 4. Drainage proposals shows little consideration for the increased runoff from the roof area. Details for the surface water drainage from the proposals are required. The applicant has indicated that they will utilise soakaways for surfacewater discharge. It has not been demonstrated whether soakaways are feasible. To establish feasibility, it is recommended that the applicant carry out percolation tests in accordance with BRE 365 Digest.

If you would like any further detail please don't hesitate getting in touch.

Many thanks

Gareth Roberts - Flood Risk Management Project Engineer

Mr Gareth Roberts, BEng (Hons) MSc | Flood Risk Project Engineer | Business and Environmental Services | Flood Risk Management Team | North Yorkshire County Council | East Block | County Hall | Racecourse Lane | Northallerton |



CONFIDENTIALITY: The contents of this message are the views of the author, not necessarily the views of the North York Moors National Park Authority. This is a private message intended for the named addressee(s) only. Its contents may be confidential.

If you have received this message in error please reply to say so and then delete the message. Any use, copying, disclosure or distribution by anyone other than the addressee is forbidden. www.northyorkmoors.org.uk

This email has been scanned for email related threats and delivered safely by Mimecast. For more information please visit <u>http://www.mimecast.com</u>