



Notes:

- The surface water drainage has been coordinated with Earthworks contours dated November 2016.
- This drawing shows the proposed surface water drainage network for Site Preparation Phase 2.
- For surface water drainage features refer to drawings YP-P10-DNF-CD-020 to 025.
- The perimeter ditches around the platforms are to be lined with an impermeable liner.

Key:

- Land Ownership Boundary
- Proposed General Arrangement layout
- Surface water drainage attenuation pond
- Existing watercourses / ditch
- Manhole and carrier pipe
- Swale
- Check dam
- Silt fence
- Ditch
- Inlet/ outlet headwall

1	19/12/16	SM	NF	AH
Issue				
0	15/12/16	JB	NF	AH
Issue				
C	07/12/16	JB	NF	AH
Discharge Planning				
B	02/12/16	EC	NF	AH
Discharge Planning				
A	01/12/16	SM	NF	AH
Discharge Planning				
Issue	Date	By	Chkd	Appd

ARUP

Admiral House, Rose Wharf,
78 East Street, Leeds, LS9 9EE
www.arup.com

Client
Sirius Minerals Plc

Job Title
York Potash

**Surface Water Drainage
General Arrangement**

Scale at A1 1:2000

Discipline **Drainage**

Job No **234376** Drawing Status **Issue**

Drawing No **YP-P10-DNF-CD-001** Issue **1**