


EXISTING


SCALE 1:100




FRONT ELEVATION




REAR ELEVATION



GROUND FLOOR



FIRST FLOOR



END ELEVATION

PROPOSED FRONT & REAR EXTENSIONS

4 NOOKFIELD CLOSE

ROBINHOODS BAY

FOR MR & MRS L HODGSON

SCALE 1:100

APPROVED
3 - JAN 2017

PROPOSED


SCALE 1:100




REAR ELEVATION




FRONT ELEVATION



GROUND FLOOR



FIRST FLOOR



END ELEVATION

PROPOSED FRONT & REAR EXTENSIONS

4 NOOKFIELD CLOSE


ROBIN HOODS BAY

FOR MR & MRS L. HODGSON

SCALE 1:100


NYMNP/PA
3 - JAN 2017

PROPOSED




SIDE ELEVATION (EAST)

SCALE 1:100



BLOCK PLAN SCALE 1:200



GENERAL SECTION THROUGH

SCALE 1:50

ROOF

CONCRETE TILES TO MATCH EXISTING
 25x40 TILE LATHE
 BREATHABLE FEEL
 150x50 SOFTWOOD SPARS @ 400mm ϕ
 100mm KINGSPAN INSULATION
 BETWEEN SPARS WITH 50mm INSULATION
 OVER FACE WITH 125g FEEL BACK
 PLASTER OVER D & SKIM
 30mm MILD STEEL HOLDING DOWNS AND
 LATERAL SLIP JOINT @ 125mm ϕ
 ALTERNATIVE USE 125x50 CEILING JOISTS

WALLS

102mm BRICK TO MATCH EXISTING
 50mm CAVITY
 50mm KINGSPAN
 5mm STAINLESS STEEL WALL TIES PER M²
 100mm BLOCKWORK
 13mm PLASTER
 CAVITIES TO BE CONTINUOUS
 CATHIC EN & GALV INSULATED WIRELS
 HORIZONTAL & VERTICAL DPC TO OPENINGS

FLOOR

65mm CONCRETE SLAB
 150mm KINGSPAN INSULATION
 1200mm DISCING GPM & RIGID BARBER
 100mm QUERITE CONCRETE
 100mm HURDCORE

WINDOWS AND DOORS

UPVC DOUBLE GLAZED
 25mm AIR VOID
 SAFETY GLAZING TO BS 6399 1972

NYMINDA
 3 - JAN 2017

EXTENSIONS TO N°4 NADKFIELD

CLOSE REINFORCED CON

SCALE 1:100 1:200 1:50

FOR MR & MRS L HODGSON