

Mr M Hill  
North York Moors National Park  
Development Control  
The Old Vicarage Bondgate  
Helmsley  
York  
YO62 5BP

**Our ref:** RA/2017/136207/02-L01  
**Your ref:** NYM/2017/0033/CVC

**Date:** 23 March 2017



Dear Mr Hill

**APPLICATION FOR VERIFICATION CHECK OF CONDITIONS 18, 34, 46, 47, 57, 68, 70, 73, 92, 93 AND 94 OF PLANNING APPROVAL NYM/2014/0676/MEIA. LADY CROSS PLANTATION NEAR EGTON, LOCKWOOD BECK FARM NEAR MOORSHOLM, TOCKETTS LYTHE, NEAR GUISBOROUGH (INTERMEDIATE SHAFT SITES); SITE WITHIN THE EASTERN LIMITS OF THE WILTON INTERNATIONAL COMPLEX, TEESIDE (TUNNEL PORTAL)**

Thank you for consulting us with the further information in response to the above discharge of conditions application.

From a groundwater perspective, we have reviewed the additional information submitted for the phase 2 works and have no objection to the discharge of the conditions 46, 47 and 93. Final details of the ditch and the platform liners will be submitted via the construction quality assurance plan. We are also satisfied that the changes made to the remedial action plan and the surface water monitoring scheme satisfy our questions about the beck's geomorphology.

If you have any further questions, please do not hesitate to contact me.

Yours sincerely

**Nick Pedder**

Planning Specialist - Sustainable Places

Environment Agency  
Lateral 8 City Walk, LEEDS, LS11 9AT.

[www.gov.uk/environment-agency](http://www.gov.uk/environment-agency)

End