

Ganton Door with Elegance Glass

Proposed Composite
Door -
Proposed Colour
Chartwell Green.



Ganton Door with Georgian Glass

Internal
Georgian Bar
on


Internal Backing
- See
Page

PREMIUM COLOUR

d Colours



White



Black



Blue



Green




Red

Colours



y Red



Black Brown




Chartwell Green




Cream



Duck Egg Blue



Anthracite



Please note screen shot of email sent from Centurion Windows. Please note that the existing windows have Georgian bars of the same as the proposed windows – 22mm

Quotation Date
03/11/2017

115 Falsgrave Road
Scarborough
North Yorks, YO12 5EG

CENTURION WINDOWS





Quote Number
CEQ12887

Mr Render
Daisy Cottage
Church Lane
Thornton Dale
North Yorkshire
YO18 7QL

Please see the following drawings that
show the frame layouts for all items
contained in this document.

This price includes VAT and all associated costs for the
fitting of these frames. Please do not hesitate to call me if
you have any questions.


All frames are viewed from outside

 <p>920 x 2080 Side Door</p>	<p>Glazing Includes 44mm Slab, GANTON SUNBURST White In. Cream Out Mid Chrome L/P. 1*9Q Glazed Autumn</p> <p>Fitting Notes/Comments Cream Frame internally <i>Front</i></p> <p>Rustique Profile System Frame Colour: CREAM FOIL Cill Type: Handle: Bright Chrome</p>
 <p>1700 x 1040 Kitchen</p>	<p>Glazing Includes (31dB) 4 KS:20SupAr:4 Optiwhite (BLACK SUPER SPACER) Duplex Spacer Bar Grid (Ovolo)</p> <p>Fitting Notes/Comments <i>Rear</i></p> <p>Rustique Profile System Frame Colour: CREAM FOIL Cill Type: 150mm Cill. ^1 Handle: Locking Bright Chrome</p>
 <p>600 x 940 Kitchen</p>	<p>Glazing Includes (31dB) 4 KS:20SupAr:4 Optiwhite (BLACK SUPER SPACER) Duplex Spacer Bar Grid (Ovolo)</p> <p>Fitting Notes/Comments <i>Road side gable.</i></p> <p>Rustique Profile System Frame Colour: CREAM FOIL Cill Type: 150mm Cill. ^1 Handle: Locking Bright Chrome</p>
 <p>1700 x 1350 Dining Room</p>	<p>Glazing Includes (31dB) 4 KS:20SupAr:4 Optiwhite (BLACK SUPER SPACER) Duplex Spacer Bar Grid (Ovolo)</p> <p>Fitting Notes/Comments <i>Front Bottom left.</i></p> <p>Rustique Profile System Frame Colour: CREAM FOIL Cill Type: 150mm Cill. ^1 Handle: Locking Bright Chrome</p>

R.B. Front as viewed from Garden.

NVMN

05 DEC 2017



1580 x 1350
Lounge


Glazing Includes

(31dB) 4 KS:20SupAr:4 Optiwhite (BLACK SUPER SPACER) Duplex Spacer Bar Grid (Ovolo)

Fitting Notes/Comments

Front Lower right

Rustique Profile System
Frame Colour: CREAM FOIL
Cill Type: 150mm Cill. ^1
Handle: Locking Bright Chrome



1600 x 1180
Daisy Bed


Glazing Includes

(31dB) 4T KS:20SupAr:4T Optiwhite (BLACK SUPER SPACER) Duplex Spacer Bar Grid (Ovolo)
(31dB) 4 KS:20SupAr:4 Optiwhite (BLACK SUPER SPACER) Duplex Spacer Bar Grid (Ovolo)

Fitting Notes/Comments

Front Upper left

Rustique Profile System
Frame Colour: CREAM FOIL
Cill Type: 150mm Cill. ^1
Handle: Locking Bright Chrome



1600 x 1180
Main Bed


Glazing Includes

(31dB) 4T KS:20SupAr:4T Optiwhite (BLACK SUPER SPACER) Duplex Spacer Bar Grid (Ovolo)
(31dB) 4 KS:20SupAr:4 Optiwhite (BLACK SUPER SPACER) Duplex Spacer Bar Grid (Ovolo)

Fitting Notes/Comments

Front Upper Right

Rustique Profile System
Frame Colour: CREAM FOIL
Cill Type: 150mm Cill. ^1
Handle: Locking Bright Chrome



960 x 1040
Bathroom


Glazing Includes

(31dB) 4 KS:20SupAr:4 Obscure Stippolyte (BLACK SUPER SPACER) Duplex Spacer Bar Grid (Ovolo)

Fitting Notes/Comments

Rear Upper

Rustique Profile System
Frame Colour: CREAM FOIL
Cill Type: 150mm Cill. ^1
Handle: Locking Bright Chrome



1800 x 900


Glazing Includes

(31dB) 4T KS:20SupAr:4T Optiwhite (BLACK SUPER SPACER) Duplex Spacer Bar Grid (Ovolo)
(31dB) 4 KS:20SupAr:4 Optiwhite (BLACK SUPER SPACER) Duplex Spacer Bar Grid (Ovolo)

Fitting Notes/Comments

Rear Upper new extension

Rustique Profile System
Frame Colour: CREAM FOIL
Cill Type: 150mm Cill. ^1
Handle: Locking Bright Chrome



1200 x 1040
WC

Glazing Includes


(31dB) 4 KS:20SupAr:4 Obscure Stippolyte (BLACK SUPER SPACER) Duplex Spacer Bar Grid (Ovolo)

Fitting Notes/Comments


Rear Lower - new extension

Rustique Profile System
Frame Colour: CREAM FOIL
Cill Type: 150mm Cill. ^1
Handle: Locking Bright Chrome


NYMNPA
05 DEC 2017




P10531
56mm Outer Frame
Steel U Channel S00185
Thermal Insert P10331




P10532
72mm Outer Frame
Steel U Channel S00186
Thermal insert P10332




P10533
70mm T Transom
Steel Box S00187



P10536
70mm Z Transom
Steel Box S00187



P10543
95mm T Tran/Slim Open Out Door Sash
Steel Box S00158
35 x 30 Ported Alu 715162




P10545
95mm Z Tran/Slim Open In Door Sash
Steel Box S00158



P10431
28mm Glazing Bead




P10437
40mm Glazing Bead




P10538
Internally Beaded Sash
Steel P Section S00152




P10539
Tilt & Turn Sash
Steel L Section S00161




P10640
Door Sash - Open In
Steel U Channel S00186
Punched Steel U S00167




P10641
Door Sash - Open Out
Steel U Channel S00186
Punched Steel U S00167



P10535
116mm Midrail
Steel U Channel S00188



P10612
French Overlap
Steel Box S41135



M00211
French Overlap End
Capto suit P10612




715162
35 x 30 Ported
Aluminium




715164
13 x 23 Ported
Aluminium



P10331
Thermal Insert




P10332
Thermal Insert



A00333
Aluminium Rebated Threshold



A00092
Standard Low Threshold



A00289
Part M Low Threshold
(Residential Doors Only)

G00097
Sash Seal
Rebate

G00088
Threshold Seal

P01047
Threshold Strip

G52005
Threshold Gasket

DO NOT SCALE the drawings shown are visual representations only. VEKA PLC has the right to alter the designs, specifications & descriptions without prior notice as part of our policy of continuous development and improvements.

KEY:

- PVC Profile
- Gasket
- Steel
- Aluminium



S00187
12x35 Steel Box



S41135
17x20 Steel Box



S00158
30x35 Steel Box



S00152
26x31 Steel P



S00161
20x35 Steel L



S00185
22x17.5 Steel U



S00186
22x35.5 Steel U



S00166
35x55.5 Steel U


The Definitive
collection

SWC building the future together

RUSTIQUE




The Definitive collection




P01068
15mm Frame Ext

P01091
30mm Frame Ext
Steel Box
S00003


P01092
50mm Frame Ext
Steel Box
S00003




P90039
85mm Cill
End Cap M00137
Steel 40 x 15 S00016




110103 150mm Cill
End Caps 109006
Straight Coupler 109010
Steel 40 x 15 S00016




P90043 180mm Cill
End Caps M00186
Steel 40 x 15 S00016
Straight Coupler M00188



P01018 120mm Cill
End Cap M00022
Steel 40 x 15 S00016



P01020 160mm Cill
End Caps M00025
Steel 40 x 15 S00016
Straight Coupler M00116
90° Coupler M00196



P01044 200mm Cill
End Caps M00033
Steel 40 x 15 S00016



H00319 150mm Metal Fixing Lug



P10318
Sculptured 2mm
H Coupler



104474
6mm Aluminium
Coupler

P10126
Sculptured PVC
Cover



115117
20mm Aluminium
Coupler

P10324
Sculptured Cover

A00301
Conservatory
Coupling

P10161
Sculptured Cover



M00216
24, 28, 32mm Flexi
Corner Wedge



P10192
Weather Bar



M00223
Weather Bar
End Cap



P10149
Weather Bar



M00220
Weather Bar
End Cap



P10122
Georgian Bar



P51034
Head Drip



P10114
80mm Variable
Angle Trim




P10115
40mm Variable
Angle Trim


H01549
Head Plate for 704801



P10164
Post Cover Small 110° - 145°



P10163
Post Cover Small 146° - 170°



A00201
Variable Bay Pole



P10166
Sculptured Post
Cover 146° - 170°




P10168
Sculptured Post
Cover 110° - 145°



H01543
Variable Base Plate



H01556
Transfer Stud



Used in conjunction with
head/base plates for load
bearing applications.

H01557
Load Transfer
Base Plate



744783
Head/Base
Plate for
116063




116063
90° Bay Post



P10162
90° Sculptured
Post Cover



744783
Head/Base
Plate for
116063



M00246
Arched Head Insert Kit

- KEY:**
- PVC Profile
 - Gasket
 - Steel
 - Aluminium

DO NOT SCALE the drawings
shown are visual representations
only. VISKA PLC has the right to
alter the designs, specification &
descriptions without prior notice
as part of our policy of
continuous development and
improvements.

01 JAN 2017
 NYMIPA

