



1. This drawing to be read in conjunction with all relevant drawings & together with the specifications.
2. All dimensions are shown in millimetres (mm), unless noted otherwise.
3. All levels are shown in metres (m) AOD, unless noted otherwise.
4. No dimensions are to be scaled from this drawing.
5. Concrete shall be supplied in accordance with table 2.20 of the YW Engineering Specification. Grade C28/35 RHS (PAV2).
6. All exposed concrete corners and arrises have 25mm 45° chamfers.
7. Mesh reinforcement shall comply with BS 4483. Mesh laps shall be 380mm minimum.
8. Concrete parking area construction to be in accordance with NYCC Concrete Access Guidance E3 including provision of a minimum 250mm Type 1 Sub-Base and a minimum 1 in 40 fall toward the SPS compound.
9. Joint between new concrete parking area and existing tarmac footpath or concrete access road, to be filled with bituminous sealant to prevent water ingress. New concrete surfacing to be dowelled to existing concrete.



Legend:

- Application site. YW tanker parking area.
- Boundary of YW ownership
- Concrete Layby

NYMNPA  
 13 AUG 2013



© Mott MacDonald Bentley Limited  
 This document should not be relied on or used in circumstances other than those for which it was originally prepared and for which Mott MacDonald Bentley Ltd was commissioned. Mott MacDonald Bentley Ltd accepts no responsibility for this document to any other party other than the person by whom it was commissioned.

 <b>AMP5 - Asset Delivery Unit</b> Mott MacDonald Bentley Limited Livingstone House Chadwick Street Leeds, LS10 1LJ Website - www.mm-b.co.uk	Client  Livingstone House Chadwick Street Leeds, LS10 1LJ <b>YorkshireWater</b>	Rev	Date	Drawn	Description	Ch'k'd	App'd	Title
		P2	28/1/2013	DPH	Planning Issue	ZAK	PL	
		P3	25/02/13	IA	Tanker turning route updated	ZAK	PJL	North Pumping & EO Batch 4 Ruswarp SPS Tanker Parking Details Planning Application
		P4	6/08/13	IA	Tanker route & concrete access track updated	DPH	PJL	
		Designer.		D P Holt	Engineering Check.	Z A Kevanhu		Scale at A3 <b>As Shown</b>
		CAD Technician.		D P Holt	Lead Batch Designer Check.	D P Holt		
		Specialist Check.		N/A	Design Manager Approval.	P Luxton		Drawing No. <b>L414-11-100</b>
Stream: Other Installations      Batch No: EO 04		YWS Ref :R0496      DAZ : 376						
Scheme Address : Ruswarp SPS, Sneaton Lane, Ruswarp Whitby, North Yorkshire, YO21 1YL		OS Ref : 489022 509056 (NZ 8909)      DOA : TBC						Status <b>PRE</b>