

NYM 7 2012 J D 2 7 8 6 1

PHOTOGRAPH 01
SHOWING EXAMPLE OF
EXISTING DORMER TO BE

REFURBISHED WITH SOLID SIDES
& GABLE LIME RENDER FINISH.



600mm

1420mm

NYM/NPA
27 APR 2012

PHOTOGRAPH 02
SHOWING STONE WALL
AROUND COURTYARD

NYM / 2012 / 0 2 7 8 / FL

NYMNP
27 APR 2012



PHOTOGRAPH 03
SHOWING OLD APPLE TREE
MARKED T1

NYM / 2012 / 0 2 7 8 / FL

NYM/PA
27 APR 2012



NYM / 2012 / 072

PHOTOGRAPH 04
PROPOSED STONE WALL
LENGTH 10.3M (A)
HEIGHT 1.3M DEPTH 450mm
HAND GATE 1.2M

NYMNP
27 APR 2012



PHOTOGRAPH 05
SHOWING EXISTING
FIREPLACE

NYM / 2012 / D 2 7 8 / FL

NYMNP
27 APR 2012



PHOTOGRAPH 06
SHOWING PART OF PANTRY
WALL FOR PROPOSED
REMOVAL



NYM / 2012 / 0 2 7 8 / F L

NYM / 2012 / 0 2 7

PHOTOGRAPH 07
SHOWING MILL DOOR



NYMNP
27 APR 2012

NYM / 2012 / 0 2 7 8 / F
PHOTOGRAPH 08
SHOWING WINDOWS
MARKED 2 & 3 AT GABLE
END FOR PROPOSED
REPLACEMENT

NYM/PA
27 APR 2012

BALANCED FLUE FROM
BOILER ON OUTHOUSE
WALL POSITION APPROX
900mm HIGH /300mm DEPTH



NYM / 2012 / 0 2 7 8 / FL

NYMNP
27 APR 2012

PHOTOGRAPH 09
PROPOSED KENNEL
6.14M LONG/ 3.03M WIDE
2.1M AT HIGHEST POINT



NYM / 2012 / D 2 7 0 1 1

PHOTOGRAPH 10
PROPOSED AGA FLUE
MAXIMUM 600mm ABOVE
RIDGE HEIGHT DEPENDING
ON DOWNDRAUGHT

NYMNPA
27 APR 2012



NYM / 2012 / D 278 / FL

NYMNP
27 APR 2012

PHOTOGRAPH 11
PROPOSED FLUE FOR NEW
WOODBURNER MAXIMUM
600 mm ABOVE RIDGE

